



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/688,001	10/17/2003	Tetsuya Tada	TI-32473.1	4401
23494	7590	11/16/2005	EXAMINER	
TEXAS INSTRUMENTS INCORPORATED P O BOX 655474, M/S 3999 DALLAS, TX 75265			NGUYEN, LONG T	
			ART UNIT	PAPER NUMBER
			2816	

DATE MAILED: 11/16/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/688,001

Applicant(s)

TADA, TETSUYA

Examiner

Long Nguyen

Art Unit

2816

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 October 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 and 7-9 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1 and 7-9 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 12 October 2005 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☒ Certified copies of the priority documents have been received in Application No. 10/314,833.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 10/12/05 has been entered.

Double Patenting

2. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

3. Claims 1 and 7-9 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claim 1 of U.S. Patent No. 6,710,632. Although the conflicting claims are not identical, they are not patentably distinct from each other because claim 1 (Col. 11, lines 37-47) of the U.S. Patent 6,710,632 recites all of the limitations of claim 1 of the instant application. In particular, claim 1 of U.S. Patent 6,710,632 recites a drive circuit (Col. 11, lines 37-47) comprising a current output MOS, a drive part, and a clamp circuit as recited in claim 1 of the instant application.

With respect to claims 7-9 of the instant application, claim 1 of the U.S. Patent 6,710,632 discloses all of the limitations of these claims except for the drive part includes a first MOS transistor, wherein the first MOS transistor is a first NMOS transistor; a second NMOS transistor, a first current source, wherein the first current source comprises a first PMOS transistor and a second PMOS transistor; a second current source; a first resistive element and a second resistive element as recited in the claims. However, Figure 7 of the prior art of the U.S. Patent 6,710,632 discloses a drive part (QP5, QP6, R3, R34, R4, QN7, QN8, INV1) includes a first MOS transistor (QN8), wherein the first MOS transistor is a first NMOS transistor (QN8); a second NMOS transistor (QN7), a first current source (QP5-QP6), wherein the first current source comprises a first PMOS transistor (QP4) and a second PMOS transistor (QP6); a first resistive element (R3) and a second resistive element (R34) for the purpose of limiting punch-through current during switching (Col. 3, lines 6-8) and thus reducing power consumption of the circuitry. Thus, it would have been obvious to one skill in the art to use the specific drive part as in Figure 7 of the U.S. Patent 6,710,632 for the drive circuit of claim 1 of U.S. Patent 6,710,632 for the purpose of reducing power consumption of the circuitry. Thus, this modification meets the limitations of claim 7 of the instant application.

Note that, with respect to claims 8 and 9, the above modification as discussed meets all the limitations of claim 8 of the instant application except for a second current source connected between the source terminal of the first NMOS transistor and a reference potential. However, Figure 6 of the prior art of U.S. Patent 6,710,632 discloses a drive part (all elements in Figure 6 except for the resistor R2 and transistor QN6) including a second current source (IS2) connected between the source terminal of the first NMOS transistor (QN5) and a reference potential

Art Unit: 2816

(ground) for the purpose of controlling and limiting punch-through current during switching of the circuitry (Col. 2, lines 65-67) and thus controlling and reducing the power consumption of the circuitry. Therefore, it would have been obvious to one having skill in the art at the time the invention was made to modify the above combination by providing the drive circuit in Figure 7 of U.S. Patent 6,710,632 with a second current source (IS2) connected between the source terminal of the fourth NMOS transistor and ground, as taught in Figure 6 of the U.S. Patent 6,710,632, for the purpose of reducing and controlling the power consumption of the circuitry. Thus, the limitations of claims 8 and 9 of the instant applicant are also met.

Claim Objections

4. Claim 9 is objected to because of the following informalities: on line 4 of claim 9, "a second terminal" should be changed to --a second resistive element--. Appropriate correction is required.

Claim Rejections - 35 USC § 112

5. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

6. Claims 8 and 9 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

With respect to claim 8, the recitation, "the first NMOS transistor" on lines 6, 8 and 12 of this claim lacks antecedent basis, and it is not clear whether the above recitation refers to "an NMOS transistor" recited on line 4 or not. To overcome this problem, it is suggested that "an NMOS transistor" recited on line 4 of claim 8 should be changed to --a first NMOS transistor--.

With respect to claim 9, the recitation "the third PMOS transistor" recites on line 3 lacks antecedent basis and it is not clear whether it refers to the first PMOS transistor recited earlier (in claim 8) or not. To overcome this problem, it is suggested that "third" on line 3 of claim 9 should be changed to --first--.

Claim Rejections - 35 USC § 102

7. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

8. Claim 1 is rejected under 35 U.S.C. 102(b) as being anticipated by Yokosawa (USP 6,294,941).

With respect to claim 1, Figure 1 of the Yokosawa reference discloses a drive circuit to supply drive current to a load resistor (9-10) that is connected to first power voltage supply element (52), which includes: a current output MOS transistor (8) connected in series with the load resistor (9-10), a drive part (1) that is connected to a second power voltage supply element (51) and that supplies a drive signal (A) to the gate terminal of the current output MOS transistor (8), and a clamp circuit (28) that is connected to the second power voltage supply terminal (51) to hold the drain terminal of the current output MOS transistor at a predetermined potential (Col. 6, lines 24-40).

Claim Rejections - 35 USC § 103

9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 2816

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

10. Claims 1 and 7-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over applicant's admitted prior art in view of Yokosawa (USP 6,294,941).

With respect to claim 1, Figure 7 of the applicant's admitted prior art discloses a drive circuit to supply drive current to a load resistor (R5) that is connected to a first power voltage supply (Vcc2), which includes: a current output MOS transistor (QN9) connected in series with the load resistor, and a drive part (all elements in Figure 7 except for the resistor R5 and transistor QN9) that is connected to a second power supply voltage (Vcc1 or ground) and that supplies a drive signal (ND3) to the gate terminal of the current output MOS transistor. Figure 7 of the applicant's admitted prior art does not disclose that the drive circuit including a clamp circuit that is connected to the second power voltage supply terminal to hold the drain terminal of the current output MOS transistor at a predetermined potential. However, the Yokosawa reference discloses in Figure 1 a circuit that including a clamp circuit (28) for the purpose of limiting the gate-source voltage of the output MOS transistor so as to prevent it from exceeding a predetermined voltage level (Col. 6, lines 29-40). Therefore, it would have been obvious to one having skill in the art at the time the invention was made to provide the drive circuit in Figure 7 of the applicant's admitted prior art with the clamp circuit 28 in Figure 1 of the Yokosawa reference for the purpose of limiting the gate-source voltage of the output MOS transistor so as to prevent it from exceeding a predetermined voltage level (Col. 6, lines 29-40). Thus, this combination meets all the limitations of claim 1.

With respect to claim 7, Figure 7 of the applicant's admitted prior art in the above modification shows that the drive part includes a first MOS transistor (first NMOS QN8) connected to the gate terminal of the current output MOS transistor (QN9) and that supplies the drive signal to the current output MOS transistor, and a first current source (current mirror QP5-QP6) that supplies current to the first MOS transistor (first NMOS QN8).

With respect to claim 8, the above combination as discussed above meets all the limitation of this claim except for the drive part including a third current source is connected between the source terminal of the first NMOS transistor (QN8) and the reference potential ground. However, Figure 6 of applicant's admitted prior art discloses a drive part (all elements in Figure 6 except for the resistor R2 and transistor QN6) including a second current source (IS2) connected between the source terminal of the first NMOS transistor (QN5) and ground for the purpose of controlling the limiting punch-through current during switching of the circuitry (see lines 22-23 on page 4 of the instant specification) and thus controlling and reducing the power consumption of the circuitry. Therefore, it would have been obvious to one having skill in the art at the time the invention was made to modify the above combination/modification by providing the drive circuit in Figure 7 of the applicant's admitted prior art with a second current source connected between the source terminal of the first NMOS transistor (QN8) and ground, as taught in Figure 6 of the applicant's admitted prior art, for the purpose of limiting punch-through current during switching of the circuitry and thus reducing the power consumption of the circuitry, i.e., connecting a second current source between the source terminal of the first NMOS (QN8) transistor and ground (GND) in Figure 7 of the applicant's admitted prior art. Thus this modification meets all the limitation of claim 8 because the modification now discloses a circuit

Art Unit: 2816

wherein the drive part now including: a second current source (IS2 as modified as discussed) that is connected between the source terminal and the reference potential of the first MOS transistor (first NMOS QN8), and a second NMOS transistor (QN7) that is connected between the second current source (QP5-QP6) and the reference potential (GND) and that operates complementarily with the first NMOS transistor (QN8), and the first current source (QP5-QP6) includes a first PMOS transistor (QP5) that is connected between the second power supply voltage terminal and the second NMOS transistor (QN7) and whose gate terminal and drain terminal are connected together, and a second PMOS (QP6) transistor that is connected between the second power supply terminal and a common connection point (ND3) between the gate terminal of the current output MOS transistor and the first NMOS transistor (QN8) , and whose gate terminal is connected to the gate terminal of the first PMOS transistor.

With respect to claim 9, Figure 7 of the applicant's admitted prior art in the above modification shows that the drive part has a first resistive element (R3) that is connected between the drain terminal of the first PMOS transistor and the drain terminal of the second NMOS transistor, and a second resistance element (the resistor connected to the current mirror with transistor QP5) that is connected between the second power supply voltage terminal and the gate terminal of the first PMOS transistor.

Response to Arguments

11. Applicant's arguments filed on 10/12/05 have been fully considered but they are not persuasive.

With regard to the double patenting, applicant argues that the instant application is a divisional of 10/314,833, and that by asserting a restriction requirement and requiring a

Art Unit: 2816

divisional, the Patent Office cannot now enforce a double patenting rejection. However, this argument is not persuasive because no restriction was made in the parent applicant 10/314,833. Thus, it is proper to make double patenting rejection in this application.

Applicant argues that Yokosawa does not disclose that the clamp circuit to hold the drain terminal of the current output transistor at a predetermined potential, and that the clamp circuit 28 of Yokosawa clamps the gate potential of the source follower transistor 8. However, this argument is not persuasive because clearly that the clamp circuit 28 of Yokosawa clamps the gate potential of the source follower transistor 8 so that the gate to source of the transistor 8 is held to a first predetermined potential (Col. 6, lines 24-40) to bias the gate of transistor 8, so the turn-on resistance of the transistor 8 is a predetermined value, and thus the drain terminal of the transistor is held at a second predetermined potential. Furthermore, in operation of the circuitry of Figure 1 of Yokosawa, the reference potential V_{ref} is a fixed voltage, and when the power supply V_{BATT} is fixed then the circuit of Figure 1 is generated a constant voltage at the output V_{out} (drain of transistor 8).

Conclusion

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Long Nguyen whose telephone number is (571) 272-1753. The Examiner can normally be reached on Monday to Thursday from 8:00am to 6:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tim Callahan, can be reached at (571) 272-1740. The fax number for this group is (571) 273-8300.

Art Unit: 2816

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



LONG NGUYEN
PRIMARY EXAMINER